
LWFD-146 Serise






Product Characteristic

- Material : Galvanised sheet steel
- Insulation Class: F
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP54
- Operation Temperature: -30℃～+60℃


CE RoHS compliant ETL Intertek BSCI ISO EAC UL LVD

Technical Specifications

Model	Voltage (V)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFD3G146-092DM-01	24	100	4.2	1350	1082	345	65	/



LWFD-146 Serise






Product Characteristic

- Material : Galvanised sheet steel
- Insulation Class: F
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP54
- Operation Temperature: -30℃～+60℃

CE RoHS compliant ETL Intertek BSCI ISO EAC UL LVD


Technical Specifications

Model	Voltage (V)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFD3G146-092DH-01	48	100	2.1	1350	1082	345	65	/



Ningbo Longwell Electric Technology Co., Ltd
https://www.longwellfans.com Email:sales@zjlongwell.com

LWFD-146 Serise






Product Characteristic

Material :	Galvanised sheet steel	Mode of Operation:	S1
Insulation Class:	F	Type of Protection:	IP54
Bearing:	Maintenance-free ball bearings	Operation Temperature:	-30℃～+60℃


CE RoHS compliant ETL Intertek BSCI ISO EAC UL LVD

Technical Specifications

Model	Voltage (V)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFD3G146-092DZ-01	310	180	0.58	1650	1133	546	67	/



LWFD-146 Serise






Product Characteristic

Material :	Galvanised sheet steel	Mode of Operation:	S1
Insulation Class:	F	Type of Protection:	IP54
Bearing:	Maintenance-free ball bearings	Operation Temperature:	-30℃～+60℃


CE RoHS compliant ETL Intertek BSCI ISO EAC UL LVD

Technical Specifications

Model	Voltage (V)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFD3G146-092DZ-02	310	180	0.58	1650	1133	520	67	/



LWFD-146 Serise





Product Characteristic

- Material : Galvanised sheet steel
- Insulation Class: F
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP54
- Operation Temperature: -30℃～+60℃

Forward Centrifugal Blower

Technical Specifications

Model	Voltage (V)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFD3G146-092DZ-03	310	185	0.63	1600	1236	525	70	/

