
LWFE-140 Serise







Product Characteristic

- Material: Galvanised sheet steel
- Insulation Class: B
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP55
- Operation Temperature: -30℃～+60℃


Technical Specifications

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFE3G140-072SS-01	230	50/60	85	0.62	1860	453	783	72	/





LWFE-140 Serise







Product Characteristic

• Material:	PA6+GF	• Mode of Operation:	S1
• Insulation Class:	B	• Type of Protection:	IP55
• Bearing:	Maintenance-free ball bearings	• Operation Temperature:	-30℃～+60℃


Technical Specifications

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFE3G140-072SS-02	230	50/60	85	0.62	1900	505	881	61	/





LWFE-140 Serise







Product Characteristic

- Material: Galvanised sheet steel
- Insulation Class: B
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP55
- Operation Temperature: -30℃～+60℃


Technical Specifications

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFE3G140-072SS-03	230	50/60	110	0.8	2030	597	979	65	/





LWFE-140 Serise





Product Characteristic

- Material: PA6+GF
- Insulation Class: B
- Bearing: Maintenance-free ball bearings
- Mode of Operation: S1
- Type of Protection: IP55
- Operation Temperature: -30℃～+60℃

Technical Specifications

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (RPM)	Air Flow (m³/h)	Air Pressure (Pa)	Noise [dB(A)]	Curve
LWFE3G140-072SS-04	230	50/60	110	0.8	2130	597	979	65	/

