Ningbo Longwell Electric Technology Co., Ltd
https://www.longwellfans.com Email:sales@zjlongwell.com

# LWBE-355 Serise




## Product Characteristic


- Impeller Material: Aluminum Alloy
- Supply Voltage: 230V,50/60Hz
- Mode of Operation: S1
- Protection Class: IP55
- Insulation Class: F
- Operation Temperature: -25℃～+60℃
- Technical Feature: Control input 0-10VDC/PWM,Tach output,Locked-Rotor protection,Reverse Polarity Over-voltage protection,Soft Start Protection.

## Technical Specifications


| Model | Voltage (V) | Input Power (W) | Current (A) | Air Volume ($m^3/h$) | Static Pressure (Pa) | Speed (RPM) | Noise [dB(A)] |
|---|---|---|---|---|---|---|---|
| LWBE3G355-102PS-09 | 230 | 520 | 3.1 | 4172 | 906 | 2550 | 75 |




## LWBE3G355-102NS-24 (without bracket)




## LWBE3G355-102PS-09 (with bracket)



Ningbo Longwell Electric Technology Co., Ltd
https://www.longwellfans.com Email:sales@zjlongwell.com

# LWBE-355 Serise




## Product Characteristic


- Impeller Material: Aluminum Alloy
- Supply Voltage: 230V,50/60Hz
- Mode of Operation: S1
- Protection Class: IP55
- Insulation Class: F
- Operation Temperature: -25℃～+60℃
- Technical Feature: Control input 0-10VDC/PWM,Tach output,Locked-Rotor protection,Reverse Polarity Over-voltage protection,Soft Start Protection.

## Technical Specifications


| Model | Voltage (V) | Input Power (W) | Current (A) | Air Volume ($m^3/h$) | Static Pressure (Pa) | Speed (RPM) | Noise [dB(A)] |
|---|---|---|---|---|---|---|---|
| LWBE3G355-102PS-03 | 230 | 700 | 3.1 | 5047 | 1009 | 2200 | 85 |




## LWBE3G355-102NS-11 (without bracket)




## LWBE3G355-102PS-03 (with bracket)



Ningbo Longwell Electric Technology Co., Ltd
https://www.longwellfans.com Email:sales@zjlongwell.com

# LWBE-355 Serise




## Product Characteristic


- Impeller Material: Aluminum Alloy
- Supply Voltage: 400V,50/60Hz
- Mode of Operation: S1
- Protection Class: IP55
- Insulation Class: F
- Operation Temperature: -25℃～+60℃
- Technical Feature: Control input 0-10VDC/PWM,Tach output,Locked-Rotor protection,Reverse Polarity Over-voltage protection,Soft Start Protection.

## Technical Specifications

| Model | Voltage (V) | Input Power (W) | Current (A) | Air Volume ($m^3/h$) | Static Pressure (Pa) | Speed (RPM) | Noise [dB(A)] |
|---|---|---|---|---|---|---|---|
| LWBE3G355-102PT-10 | 400 | 1100 | 2.1 | 6180 | 1751 | 2550 | 86 |




## LWBE3G355-102NT-25 (without bracket)




## LWBE3G355-102PT-10 (with bracket)

