


Cross Flow Impellers(Plastic)

Professional HVAC Fan &Motors Manufacturer

APPLIACATION: Air Conditioning,Air curtain,Ventilation Fans,Heaters,Air purifier ...



NOTE:Any customization design require is acceptable (for dimensions,materials,color,performances)

Diameter-A (mm)	Length-L1 (mm)	Shaft Diameter-C (mm)	Shaft Length-L2 (mm)	Shaft Sleeve ID-B (mm)	Shaft Sleeve Length-D (mm)	Color	Blades Qty	Rotation (See from shaft end)	Set Screw
Φ50	≤1000	Φ4,6,8 10,12	≤50	Φ4,6,8 10,12	inside/outsize ≤35mm	Customization by customer generally black, white blue ,green	25	C.C.W	M4.M5
Φ60							31		
Φ71							35		
Φ76							35		
Φ81							35		
Φ87							35		
Φ90							28		
Φ91							35		
Φ93							35		
Φ95							35		
Φ97	≤1200	Φ4,6,8 10,12	≤50	Φ4,6,8 10,12	inside/outsize ≤35mm	Customization by customer generally black, white blue ,green	35		
Φ101.5							35		
Φ105							35		
Φ108							28		
Φ109							35		
Φ112							28		
Φ115							35		
Φ120							26		
Φ121							35		
Φ125							35		
Φ135							35		
Φ150							24		
Φ160							32		
Φ180							35		



Model	Diameter (mm)	Length (mm)	Color	Bearing type	Bushing diameter(mm)	Bushing length(mm)	Steel shaft diameter(mm)	Steel shaft length(mm)	Steel shaft cross-section	Rotation (See from shaft end)
LW50×190-01	50	190	Black	External	4	10	4	12	/	C.C.W
LW50×380-01	50	380	Black	External	4	10	4	12	/	C.C.W
LW50×400-01	50	400	Natural colour	Built-in	6	/	6	/	/	C.W
LW50×570-01	50	570	Black	External	4	10	4	12	/	C.C.W
LW62×190-01	60	190	Black	External	4	10	4	12	/	C.C.W
LW62×380-01	60	380	Black	External	4	10	4	12	/	C.C.W
LW62×570-01	60	570	Black	External	4	10	4	12	/	C.C.W
LW71×80-01	71	80	Black	Built-in	8	/	8	60	/	C.W
LW71×120-01	71	120	Black	Built-in	8	/	8	60	/	C.C.W
LW90.4×375-01	90.4	375	Black	Built-in	4	/	6	60	15mm	C.W
LW90.4×615-01	90.4	615	Black	Built-in	8	/	8	60	15mm	C.W
LW90.4×750-01	90.4	750	Blue	External	8	30	6	25	/	C.C.W
LW91×250-01	91	250	/	External	8	10	6	25	/	C.W
LW91×560-01	91	560	Blue	Built-in	8	/	6	25	/	C.C.W
LW91×648-01	91	648	/	Built-in	8	/	6	22	/	C.C.W
LW108×523-01	108	523	Black	External	8	12	6	44	20mm	C.C.W
LW108×523-02	108	523	Black	External	6	/	6	25	/	C.C.W
LW107×660-01	107	660	Blue	Built-in	8	/	6	25	/	C.C.W
LW108×780-01	108	780	Blue	Built-in	8	/	6	25	/	C.C.W
LW108×800-01	108	800	Blue	External	8	18	6	28	/	C.C.W
LW108×800-02	108	800	Blue	External	8	14	6	25	/	C.C.W
LW108×830-01	108	830	Black	Built-in	8	/	6	25	/	C.C.W
LW108×830-02	108	830	Black	External	8	28	6	28	/	C.C.W
LW107×833-01	107	833	Black	Built-in	8	/	6	25	/	C.C.W
LW108×838-01	108	838	Blue	Built-in	8	/	6	27	/	C.C.W
LW108×900-01	108	900	Black	External	8	25	6	25	/	C.C.W
LW108×978-01	108	978	Blue	Built-in	8	/	6	28	/	C.C.W
LW107×660-01	108	660	Blue	Built-in	8	/	6	25	/	C.C.W
LW107×750-02	107	750	White	External	8	/	6	25	/	C.C.W
LW107×780-01	108	780	Blue	Built-in	8	/	6	25	/	C.C.W
LW107×800-01	107	800	Black	External	8	14	6	27	/	C.C.W

Model	Diameter (mm)	Length (mm)	Color	Bearing type	Bushing diameter(mm)	Bushing length(mm)	Steel shaft diameter(mm)	Steel shaft length(mm)	Steel shaft cross-section	Rotation (See from shaft end)
LW107×800-02	108	800	Blue	External	8	14	6	25	/	C.C.W
LW92×646-01	92	646	Blue	Built-in	8	/	6	25	/	C.C.W
LW95×520-01	95	520	Blue	External	8	14	6	25	/	C.C.W
LW95×540-01	95	540	Blue	External	8	14	6	25	/	C.C.W
LW95×620-01	95	620	Blue	Built-in	8	/	6	25	/	C.C.W
LW95×640-01	95	640	Blue	Built-in	8	/	6	25	/	C.C.W
LW95×650-01	95	650	Blue	External	8	14	6	25	/	C.C.W
LW95×660-01	95	660	Blue	External	8	14	6	25	/	C.C.W
LW95×680-01	95	680	Blue	Built-in	8	/	6	25	/	C.C.W
LW95×685-01	95	685	Black	External	8	30	6	25	/	C.C.W
LW95×700-01	95	700	Black	External	8	14	6	25	/	C.C.W
LW97×706-01	97	706	Black	External	8	14	6	25	/	C.C.W
LW95×710-01	95	710	Blue	Built-in	8	/	6	27	/	C.C.W
LW98×710-01	98	710	Black	External	8	24	6	25	/	C.C.W
LW106×725-01	106	725	Blue	External	8	14	6	27	/	C.C.W
LW100×743-01	100	743	Black	Built-in	8	5	6	25	/	C.C.W
LW111.5×753-01	111.5	753	Blue	Built-in	8	/	6	27	/	C.C.W
LW101×755-01	101	755	Black	Built-in	8	18	6	25	/	C.C.W
LW97×766-01	97	766	Black	Built-in	8	/	6	27	/	C.C.W
LW101.5×580-01	101.5	580	Blue	External	8	/	6	25	/	C.C.W
LW101.5×640-01	101.5	640	Blue	External	8	14	6	25	/	C.C.W
LW101.5×690-01	101.5	690	Blue	External	8	14	6	25	/	/
LW101.5×710-01	101.5	710	Blue	Built-in	8	/	6	25	/	/
LW101.5×710-02	101.5	710	Blue	External	8	14	6	25	/	/
LW101.5×740-01	101.5	740	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×740-02	101.5	900	Blue	External	8	14	6	25	/	C.C.W
LW101.5×770-01	101.5	740	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×775-01	101.5	770	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×785-01	101.5	785	Blue	External	8	30	6	25	/	C.C.W
LW101.5×790-01	101.5	790	Black	Built-in	8	/	6	25	/	C.C.W
LW101.5×810-01	101.5	810	Blue	External	8	20	6	25	/	C.C.W

Model	Diameter (mm)	Length (mm)	Color	Bearing type	Bushing diameter(mm)	Bushing length(mm)	Steel shaft diameter(mm)	Steel shaft length(mm)	Steel shaft cross-section	Rotation (See from shaft end)
LW101.5×810-02	101.5	810	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×840-01	101.5	840	Black	Built-in	8	/	6	25	/	C.C.W
LW101.5×840-02	101.5	840	Black	External	8	14	6	25	/	/
LW101.5×860-01	101.5	860	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×890-01	101.5	890	Blue	External	8	/	6	25	/	C.C.W
LW101.5×900-01	101.5	900	Blue	External	8	14	6	25	/	C.C.W
LW101.5×900-02	101.5	900	Blue	External	8	14	6	25	/	C.C.W
LW101.5×970-02	101.5	970	Blue	Built-in	8	/	6	25	/	C.C.W
LW101.5×1080-01	101.5	1080	Blue	External	8	20	6	25	/	C.C.W
LW107×840-01	107	840	Black	Built-in	8	/	6	25	/	C.C.W
LW95×710-02	95	710	Blue	External	8	/	6	25	/	C.C.W
LW95×710-03	95	710	Blue	External	8	30	6	25	/	C.C.W
LW95×730-01	95	730	Blue	Built-in	8	/	6	25	/	C.C.W
LW95×850-01	95	850	Blue	Built-in	8	5	6	25	/	C.C.W
LW100×790-01	100	790	Black	Built-in	8	/	6	25	/	C.C.W
LW100×850-01	100	850	Black	External	5	14	6	25	/	C.C.W
LW101×850-01	101	850	Black	Built-in	8	5	6	25	/	C.C.W
LW107×882-01	107	882	Black	External	8	14	6	25	/	C.C.W
LW106×895-01	106	895	Black	External	8	14	6	25	/	C.C.W
LW107×895-01	107	895	Blue	External	8	25	6	28	/	C.C.W
LW107×900-01	107	900	Blue	Built-in	8	/	6	25	/	C.C.W
LW107×900-02	107	900	Black	External	8	14	6	25	/	C.C.W
LW107×900-03	107	900	Blue	External	8	25	6	25	/	C.C.W
LW107×966-01	107	966	Blue	External	8	14	6	25	/	C.C.W
LW107×980-01	107	980	Blue	Built-in	8	/	6	25	/	C.C.W
LW107×1040-02	107	1040	Black	External	8	14	6	25	/	C.C.W
LW98×790-01	98	790	Black	Built-in	8	/	6	25	/	C.C.W
LW98×955-01	98	955	Black	External	8	14	6	27	/	C.C.W
LW118×955-01	118	955	Blue	Built-in	8	/	6	27	/	C.C.W
LW121×540-01	121	540	Blue	Built-in	8	/	6	30	/	C.W
LW121×790-01	121	790	Blue	Built-in	8	/	6	27	/	C.C.W

Model	Diameter (mm)	Length (mm)	Color	Bearing type	Bushing diameter(mm)	Bushing length(mm)	Steel shaft diameter(mm)	Steel shaft length(mm)	Steel shaft cross-section	Rotation (See from shaft end)
LW121×955-01	121	955	Blue	Built-in	8	/	6	25	/	C.C.W
LW121×1028-01	121	1028	Blue	Built-in	8	/	6	25	/	C.C.W
LW102×875-01	102	875	Black	External	8	14	6	25	/	C.C.W
LW102×570-01	102	570	Blue	Built-in	8	/	6	30	/	C.W
LW109×1025-01	109	1025	Blue	Built-in	8	/	6	15	/	C.C.W
LW109×700-01	109	700	Black	Built-in	8	/	6	25	/	C.C.W
LW105×420-01	105	420	Blue	Built-in	8	/	6	15	/	C.C.W
LW105×520-01	105	520	Blue	Built-in	8	/	6	30	/	C.C.W
LW105×525-01	105	525	Blue	Built-in	8	14	6	60	/	C.C.W
LW105×556-01	105	556	Black	External	8	10	6	30	/	C.C.W
LW105×624-01	105	624	Black	External	8	10	6	24	/	C.C.W
LW105×695-01	105	695	Blue	Built-in	8	/	6	25	/	C.C.W
LW105×790-01	105	790	Blue	Built-in	8	/	6	25	/	C.C.W
LW142×420-01	142	420	Black	Built-in	8	/	10	40	8.5×20mm	C.C.W
LW142×834-01	142	834	Black	Built-in	8	/	10	40	8.5×20mm	C.C.W
LW1115×790-01	115	790	Blue	Built-in	8	/	6	25	/	C.C.W
LW115×955-01	115	955	Blue	Built-in	8	/	6	25	/	C.C.W
LW115×1015-01	115	1015	Blue	External	8	25	6	25	/	C.C.W